

DBA Studio

Multimaster Replication

Multimaster Replication allows multiple sites (called *Master Sites*), acting as equal peers, to manage groups of replicated database objects.

To set up multimaster replication:

1. Click **Setup Master Sites...** to launch a wizard that helps you set up a multimaster replication environment.
2. Click **Create Master Group...** to create a master group that will manage the replicated objects. Upon completion, the new group will appear in the navigator, and a request will be submitted to start the replication process.
3. From the navigator, select the master group you just created. Multimaster replication is running if the master group status is *Running*.

To learn more about Multimaster Replication, click the **Help** button.

Help

Setup Wizard



Master Sites

Specify the databases to setup as master sites. The SYSTEM account password is required at each of these sites.


Name

Add... Remove

Cancel Help < Back Next >



Setup Wizard [X]



Default Users

Enter the default administrator and optionally a different propagator to be created at each master site.

Administrator

Schema:

Password:

Propagator/Receiver


Use a propagator different from the administrator

Schema:

Password:

Cancel Help < Back **Next >**

Setup Wizard [X]





Master Site Schemas


Optionally specify schemas to be created at the master sites to contain objects to be replicated.

Name

Add... Remove

Cancel Help < Back **Next >**





Creating Master Group

BPST2 - repadmin

- Instance
- Schema
- Security
- Storage
- Replication
 - Administration
 - Multimaster Replication**
 - Snapshot Replication
- BPST3 - repadmin
- BPST4

DBA Studio Multimaster Replication

Multimaster Replication allows multiple sites (called *Master Sites*), acting as equal peers, to manage groups of replicated database objects.

To set up multimaster replication:

1. Click [Setup Master Sites...](#) to launch a wizard that helps you set up a multimaster replication environment.
2. Click [Create Master Group...](#) to create a master group that will manage the replicated objects. Upon completion, the new group will appear in the navigator, and a request will be submitted to start the replication process.
3. From the navigator, select the master group you just created. Multimaster replication is running if the master group status is *Running*.

To learn more about Multimaster Replication, click the [Help](#) button.

Create Master Group - repadmin@BPST2

General Objects Master Sites

Name: TEST

Connection Qualifier:

Generate support for objects and start replication

Remark:

Create Cancel Show SQL Help

